DISCRETE MATHEMATICS



MASTER INDEX VOLUMES 91–100

NORTH-HOLLAND

DISCRETE MATHEMATICS

EDITOR-IN-CHIEF Peter L. Hammer, New Brunswick (NJ)

ADVISORY EDITORS

C. Berge, Paris
P. Erdős, Budapest
B. Grünbaum, Seattle (WA)
M.A. Harrison, Berkeley (CA)
A.J. Hoffman, Yorktown Heights (NY)
V.L. Klee, Seattle (WA)
J.H. van Lint, Eindhoven
R.C. Mullin, Waterloo
G.-C. Rota, Cambridge (MA)
V.T. Sós-Turán, Budapest

BOARD OF EDITORS

M.S. Aigner, Berlin
B. Alspach, Burnaby
G.E. Andrews, Univ. Park (PA)
A. Barlotti, Firenze
C. Benzaken, Grenoble
J.-C. Bermond, Sophia-Antipolis
N.L. Biggs, London
B. Bollobás, Cambridge (UK)
R.A. Brualdi, Madison (WI)
T.H. Brylawski, Chapel Hill (NC)
P.J. Cameron, London
P. Camion, Le Chesnay
G. Chartrand, Kalamazoo (MI)
V. Chvátal, New Brunswick (NJ)
J. Doyen, Brussels
D. Foata, Strasbourg
A.S. Fraenkel, Rehovot
P. Frankl, Murray Hill (NJ)
A.M. Frieze, Pittsburgh (PA)
I.M. Gessel, Waltham (MA)
R.L. Graham, Murray Hill (NJ)
A. Hajnal, Budapest
F. Harary, Las Cruces (NM)
D.M. Jackson, Waterloo
J. Kahn, New Brunswick (NJ)
G.O.H. Katona, Budapest
D.J. Kleitman, Cambridge (MA)
L. Lovász, Budapest
E.C. Milner, Calgary
I. Rival, Ottawa
A. Rosa, Hamilton
S. Rudeanu, Bucharest
G. Sabidussi, Montreal
H. Sachs, Ilmenau
J. Schonheim, Tel-Aviv
M.P. Schützenberger, Paris
J.H. Spencer, New York (NY)
C. Thomassen, Lyngby
W.T. Tutte, Waterloo
D.J.A. Welsh, Oxford
R. Wille, Darmstadt
D.R. Woodall, Nottingham

PUBLICATIONS ASSISTANT Nelly Segal **DESK EDITOR** Mick van Gijlswijk

Subscription Information. Discrete Mathematics (ISSN 0012-365X) is published in 12 volumes (36 issues) a year. The subscription price for 1992 (Vols. 97–108) is Dfl. 3120.00 + Dfl. 372.00 p.p.h. = Dfl. 3492.00 (US$ 1728.54). (Combined subscription: Discrete Mathematics + Discrete Applied Mathematics (Vols. 35–40) = Dfl. 3960.00 + Dfl. 558.00 p.p.h. = Dfl. 4518.00.) The Dutch guilder price is definitive. The US dollar price is subject to exchange-rate fluctuations and is given only as a guide. Subscriptions are accepted on a prepaid basis only, unless different terms have been previously agreed upon. Personal subscription rates and conditions, if applicable, are available upon request from the Publisher. Subscription orders can be entered only by calendar year (Jan.–Dec.) and should be sent to Elsevier Science Publishers, Journal Department, P.O. Box 211, 1000 AE Amsterdam, Netherlands, telephone 31.20.5803642, fax 31.20.5803598, or to your usual subscription agent. Postage and handling charges include surface delivery except to the following countries where air delivery via SAL (Surface Air Lift) mail is ensured: Argentina, Australia, Brazil, Canada, China, Hong Kong, India, Israel, Malaysia, Mexico, New Zealand, Pakistan, Singapore, South Africa, South Korea, Taiwan, Thailand, USA. For Japan air delivery (SAL) requires 25% additional charge of the normal postage and handling charge. For all other countries airmail rates are available upon request. Claims for missing issues must be made within three months of our publication (mailing) date, otherwise such claims cannot be honoured free of charge.

© 1992, Elsevier Science Publishers B.V. (North-Holland)

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior permission of the Publisher, Elsevier Science Publishers B.V., Copyright and Permissions Department, P.O. Box 521, 1000 AM Amsterdam, Netherlands.

Special regulations for authors—Upon acceptance of an article by the journal, the author(s) will be asked to transfer copyright of the article to the Publisher. This transfer will ensure the widest possible dissemination of information.

Submission of a paper to this journal entails the author's irrevocable and exclusive authorization of the Publisher to collect any sums or considerations for copying or reproduction payable by third parties (as mentioned in article 17 paragraph 2 of the Dutch Copyright Act of 1912 and in the Royal Decree of June 20, 1974 (S. 351) pursuant to article 16b of the Dutch Copyright Act of 1912) and/or to act in or out of Court in connection therewith.

Special regulations for readers in the USA—This journal has been registered with the Copyright Clearance Center, Inc. Consent is given for copying of articles for personal or internal use, or for the personal use of specific clients. This consent is given on the condition that the copier pays through the Center the per-copy fee stated in the code on the first page of each article for copying beyond that permitted by Sections 107 or 108 of the US Copyright Law. The appropriate fee should be forwarded with a copy of the first page of the article to the Copyright Clearance Center, Inc., 27 Congress Street, Salem, MA 01970, USA. If no code appears in an article, the author has not given broad consent to copy and permission to copy must be obtained directly from the author. All articles published prior to 1981 may be copied for a per-copy fee of US$ 2.25, also payable through the Center. This consent does not extend to other kinds of copying such as for general distribution, resale, advertising and promotion purposes, or for creating new collective works. Special written permission must be obtained from the Publisher for such copying.

No responsibility is assumed by the Publisher for any injury and/or damage to persons or property as a matter of products liability, negligence or otherwise, or from any use or operation of any methods, products, instructions or ideas contained in the material herein. Although all advertising material is expected to conform to ethical standards, inclusion in this publication does not constitute a guarantee or endorsement of the quality or value of such product or of the claims made of it by its manufacturer.

This journal is printed on acid-free paper.
Published monthly 0012-365X/92/$05.00 Printed in Northern Ireland

DISCRETE MATHEMATICS

DISCRETE MATHEMATICS

MASTER INDEX
VOLUMES 91–100

NORTH-HOLLAND–Amsterdam · London · New York · Tokyo

Abstracted/Indexed in: ACM Computing Reviews, Cambridge Scientific Abstracts, Current Contents: Physical, Chemical & Earth Sciences, International Abstracts in Operations Research, Mathematical Reviews, Science Citation Index.

© 1992, Elsevier Science Publishers B.V. (North-Holland)

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior permission of the Publisher, Elsevier Science Publishers B.V., Copyright and Permissions Department, P.O. Box 521, 1000 AM Amsterdam, Netherlands.

Special regulations for authors—Upon acceptance of an article by the journal, the author(s) will be asked to transfer copyright of the article to the Publisher. This transfer will ensure the widest possible dissemination of information.
Submission of a paper to this journal entails the author's irrevocable and exclusive authorization of the Publisher to collect any sums or considerations for copying or reproduction payable by third parties (as mentioned in article 17 paragraph 2 of the Dutch Copyright Act of 1912 and in the Royal Decree of June 20, 1974 (S. 351) pursuant to article 16b of the Dutch Copyright Act of 1912) and/or to act in or out of Court in connection therewith.

Special regulations for readers in the USA—This journal has been registered with the Copyright Clearance Center, Inc. Consent is given for copying of articles for personal or internal use, or for the personal use of specific clients. This consent is given on the condition that the copier pays through the Center the per-copy fee stated in the code on the first page of each article for copying beyond that permitted by Sections 107 or 108 of the US Copyright Law. The appropriate fee should be forwarded with a copy of the first page of the article to the Copyright Clearance Center, Inc., 27 Congress Street, Salem, MA 01970, USA. If no code appears in an article, the author has not given broad consent to copy and permission to copy must be obtained directly from the author. All articles published prior to 1981 may be copied for a per-copy fee of US$ 2.25, also payable through the Center. This consent does not extend to other kinds of copying such as for general distribution, resale, advertising and promotion purposes, or for creating new collective works. Special written permission must be obtained from the Publisher for such copying.

0012-365X/92/$05.00

No responsibility is assumed by the Publisher for any injury and/or damage to persons or property as a matter of products liability, negligence or otherwise, or from any use or operation of any methods, products, instructions or ideas contained in the material herein.
Although all advertising material is expected to conform to ethical standards, inclusion in this publication does not constitute a guarantee or endorsement of the quality or value of such product or of the claims made of it by its manufacturer.

This journal is printed on acid-free paper.
PRINTED IN NORTHERN IRELAND AT THE UNIVERSITIES PRESS (BELFAST) LTD.

EDITOR-IN-CHIEF

Peter L. Hammer, *RUTCOR, Rutgers University Center for Operations Research, P.O. Box 5062, New Brunswick, NJ 08903-5062, USA*

ADVISORY EDITORS

C. Berge, *E.R. Combinatoire, Centre de Mathématique Sociale, 54 Boulevard Raspail, 75270 Paris Cedex 06, France*

P. Erdős, *Mathematical Institute, Hungarian Academy of Sciences, Reáltanoda u. 13–15, H-1053 Budapest, Hungary*

B. Grünbaum, *Department of Mathematics, University of Washington, C138, Badelford Hall, GN-50, Seattle, WA 98195, USA*

M.A. Harrison, *Computer Science Division, University of California, Berkeley, CA 94720, USA*

A.J. Hoffman, *IBM Thomas Watson Research Center, Mathematical Sciences Department, P.O. Box 218, Yorktown Heights, NY 10598, USA*

V.L. Klee, *Department of Mathematics, University of Washington, Seattle, WA 98195, USA*

J.H. van Lint, *Technische Universiteit, Insulindelaan 2, 5612 AZ Eindhoven, Netherlands*

R.C. Mullin, *Department of Combinatorics & Optimization, University of Waterloo, Waterloo, Ont., Canada N2L 3G1*

G.-C. Rota, *Department of Mathematics, Massachusetts Institute of Technology, Cambridge, MA 02139, USA*

V.T. Sós-Turán, *Elke TTK Analisis 1, Mathematical Institute, Muzeum Krt. 6–8, H-Budapest 8, Hungary*

BOARD OF EDITORS

M.S. Aigner, *FB Mathematik, WE2, Freie Universität Berlin, Arnimallee 3, W-1000 Berlin 33, Germany*

B. Alspach, *Department of Mathematics & Statistics, Simon Fraser University, Burnaby, B.C., Canada V5A 1S6*

G.E. Andrews, *Department of Mathematics & Statistics, Pennsylvania State University, University Park, PA 16802, USA*

A. Barlotti, *Istituto Matematico "Ulisse Dini", Viale Morgagni 67/A, I-50134 Firenze, Italy*

C. Benzaken, *Institute of Advanced Mathematics, Scientific and Medical, University of Grenoble, BP 53X, 38041 Grenoble Cedex, France*

J.-C. Bermond, *Informatique, CNRS, URA 1376, 3 rue Einstein, Sophia-Antipolis, 06560 Valbonne, France*

N.L. Biggs, *Department of Mathematics, London School of Economics, Houghton Street, London, UK, WC2A 2AE*

B. Bollobás, *Department of Pure Mathematics & Mathematical Statistics, University of Cambridge, 16 Mill Lane, Cambridge, UK, CB2 1SB*

R.A. Brualdi, *Department of Mathematics, University of Wisconsin-Madison, 480 Lincoln Drive, Madison, WI 53706, USA*

T.H. Brylawski, *Department of Mathematics, University of North Carolina, Chapel Hill, NC 27514, USA*

P.J. Cameron, *School of Mathematical Sciences, Queen Mary College, University of London, Mile End Road, London, UK, E1 4NS*

P. Camion, *INRIA, Domaine de Volucean-Rocquencourt, BP 105, Le Chesnay Cedex 78153, France*

G. Chartrand, *Department of Mathematics, Western Michigan University, Kalamazoo, MI 49008, USA*

V. Chvátal, *Department of Computer Science, Rutgers University, New Brunswick, NJ 08903, USA*

J. Doyen, *Département de Mathématiques, Université de Bruxelles, Campus Plaine CP 216, Bd. du Triomphe, B-1050 Bruxelles, Belgium*

D. Foata, *Département Mathématique, Université Louis Pasteur, 7 rue René Descartes, F-67084 Strasbourg, France*

A.S. Fraenkel, *Department of Applied Mathematics, Weizmann Institute of Science, IL-76100 Rehovot, Israel*

P. Frankl, *AT&T Bell Laboratories, 600 Mountain Avenue, Room 6E-206, Murray Hill, NJ 07974, USA*

A.M. Frieze, *Department of Mathematics, Carnegie Mellon University, Pittsburgh, PA 15213, USA*

I.M. Gessel, *Department of Mathematics, Brandeis University, P.O. Box 9110, Waltham, MA 02254-9110, USA*

R.L. Graham, *AT&T Bell Laboratories, 600 Mountain Avenue, Room 2C-382, Murray Hill, NJ 07974, USA*

A. Hajnal, *Mathematical Institute, Hungarian Academy of Science, Reáltanoda u. 13–15, H-1053 Budapest, Hungary*

F. Harary, *Department of Computer Science, New Mexico State University, Las Cruces, NM 88003, USA*

D.M. Jackson, *Combinatorics & Optimization, University of Waterloo, Waterloo, Ont., Canada N2L 3G1*

J. Kahn, *Department of Mathematics, Rutgers University, Hill Center, Busch Campus, New Brunswick, NJ 08903, USA*

G.O.H. Katona, *Matematik Kutato Intez, Magyar Tudomanyos Akad, Realtanoda u. 13–15, H-1053 Budapest, Hungary*

D.J. Kleitman, *Department of Mathematics, Massachusetts Institute of Technology, Cambridge, MA 02139, USA*

L. Lovász, *Mathematical Institute, Department of Computer Science, Eötvös Lorand University, Muzeum Krt. 6–8, H-1088 Budapest, Hungary*

E.C. Milner, *Department of Mathematics, University of Calgary, Calgary, Alta., Canada T2N 1N4*

I. Rival, *Department of Computer Science, University of Ottawa, Ottawa, Ont., Canada K1N 6N5*

A. Rosa, *Department of Mathematics, McMaster University, Hamilton, Ont., Canada L8S 4K1*

S. Rudeanu, *Institutei de Mathematica, University of Bucharest, Str. Academiei 14, 70109 Bucaresti, Romania*

G. Sabidussi, *Département de mathématiques et statistique, Université de Montréal, C.P. 6128 Succursale A, Montréal, Qué., Canada H3C 3J7*

H. Sachs, *TH/Sekt. Mathematik, Rechentechnik und Kybernetik, Postfach 327, O-6300 Ilmenau, Germany*

J. Schonheim, *Department of Mathematics, Tel Aviv University, Ramat Aviv, IL-Tel Aviv, Israel*

M.P. Schützenberger, *U.E.R. Mathématique, Université de Paris VII, 2, place Jussieu, F-75251 Paris Cedex 5, France*

J.H. Spencer, *The Courant Institute, New York University, 251 Mercer Street, New York, NY 10012, USA*

C. Thomassen, *Mathematical Institute, Technical University of Denmark, Building 303, DK-2800 Lyngby, Denmark*

W.T. Tutte, *Department of Combinatorics & Optimization, University of Waterloo, Waterloo, Ont., Canada N2L 3G1*

D.J.A. Welsh, *Mathematical Institute, University of Oxford, 24–29 St. Giles, Oxford, UK, OX1 3LB*

R. Wille, *Fachbereich Mathematik, Technische Hochschule Darmstadt, Schlossgartenstrasse 7, W-6100 Darmstadt, Germany*

D.R. Woodall, *Department of Mathematics, University of Nottingham, University Park, Nottingham, UK, NG7 2RD*

List of referees: volumes 91–100

DISCRETE MATHEMATICS has continuously benefitted from the kind assistance of a great number of referees. We hereby express our gratitude for their sustained efforts, without which our activity could not have been carried out.

the editors

M. Aigner
H. Ait-Kaci
Y. Alavi
N. Alon

M.O. Ball
H-J. Bandelt
A. Barlotti
J.P. Barthelemy
L.W. Beineke
E.A. Bender
C. Benzaken
C. Berge
A. Berman
J-C. Bermond
A. Bialostocki
J. Bonin
J. Borges
A. Brandstadt
R.C. Brigham
A.E. Brouwer
J.I. Brown
R.A. Brualdi
F. Buekenhout

E.R. Canfield
D. Cantor
C.J. Colbourn
R. Cordovil

Y. Crama
W.H. Cunningham

J.A. Dias da Silva
V. Diekert
R. Diestel
A.W.M. Dress
N. Dubois

P. Erdős

G. Fan
O. Favaron
M.A. Fiol
S. Foldes
J.L. Fouquet
I. Fournier
J.C. Fournier
A.S. Fraenkel
J. Friedman
H-L. Fu
K. Fukuda
Z. Füredi

J.A. Gallian
F. Gavril
I. Gessel
I.P. Goulden
R.L. Graham

P. Gritzmann
B. Grunbaum
A. Gudes de Oliveira
I. Gutman
A. Gyárfás

M. Habib
S.L. Hakimi
A. Hartman
P. Hell
A. J. W. Hilton
J.W.P. Hirschfeld
A.J. Hoffman
O. Hudry
F.K. Hwang

K.F. Jones
D. Jungnickel

S. Kageyama
J. Kahn
P. Kanellakis
J.B. Kelly
A.K. Kelmans
A. Kerber
C. Kimberling
S. Kirkpatrick
V. Klee
A.V. Kostochka

A. Kotzig
I. Krasikov
G. Kreweras
D. Krob
P.V. Kumar

H-J. Lai
S. Landau
J. Lauri
T. Lengauer
M. Lewinter
C. Lindner
N. Linial
M. Lomonosov
P.J. Lorimer
L. Lovász

G. MacGillivray
W. Mader
F. Maffioli
O. Margalit
W. McCuaig
A. Meir
E. Mendelsohn
K. Metsch
E.C. Milner
B. Mohar
H.M. Mulder
R.C. Mullin

J.I. Naus

S. Olariu
B. Or
J.B. Orlin
J.G. Oxley

M. Padberg
C. Payan
K.T. Phelps
A. Pluhar
N. Polat
S. Poljak
A. Prekopa
J.S. Provan

R.C. Read
A. Rosa
I.G. Rosenberg
G-C. Rota
U.G. Rothblum
G. Rozenberg

G. Sabidussi
H. Sachs
B.E. Sagan
E. Schmeichel
M. Schneider
J.R. Seberry
A. Sebo
M.A. Shokrollahi
W.D. Smith
P. Sole

J.H. Spencer
R.P. Stanley
D.R. Stinson
K.B. Stolarsky

C. Thomassen
T. Tokuyama
V.D. Tonchev
Z. Tuza

G. Valette
J.H. van Lint
T.P. Vaughan

W.D. Wallis
D.J.A. Welsh
W. Wenzel
A.T. White
A.L. Whiteman
D.R. Witte
D.R. Woodall

S-j. Xu

J.L.A. Yebra

D. Zeilberger
B. Zelinka
M. Ziegler

Master index of volumes 91–100

Abbott, H.L. and M. Katchalski, Further results on snakes in powers of complete graphs	91	(1991)	111–120
Abbott, H.L. and B. Zhou, On a conjecture of Gallai concerning complete subgraphs of k-critical graphs	100	(1992)	223–228
Abhyankar, S.S. and S.B. Joshi, Generalized rodeletive correspondence between multi-tableaux and multimonomials	93	(1991)	1– 17
Abhyankar, S.S. and S.R. Ghorpade, Young tableaux and linear independence of standard monomials in multiminors of a multimatrix	96	(1991)	1– 32
Abrham, J., Graceful 2-regular graphs and Skolem sequences	93	(1991)	115–121
Acharya, B.D. and S.M. Hegde, Strongly index-able graphs	93	(1991)	123–129
Aharoni, R., Infinite matching theory	95	(1991)	5– 22
Alavi, Y., J. Liu, J. Wang and Z. Zhang, On total covers of graphs	100	(1992)	229–233
Albertson, M.O., Turán theorems with repeated degrees	100	(1992)	235–241
Alspach, B. and D. Hare, Edge-pancyclic block-intersection graphs	97	(1991)	17– 24
Arasu, K.T. and A. Pott, Some constructions of group divisible designs with Singer groups	97	(1991)	39– 45
Arasu, K.T., D. Jungnickel and A. Pott, Symmetric divisible designs with $k - \lambda_1 = 1$	97	(1991)	25– 28
Archdeacon, D. and J.H. Dinitz, Constructing indecomposable 1-factorizations of the complete multigraph	92	(1991)	9– 19
Arora, S., see Srivastava, J.	98	(1991)	35– 56
Atanassov, K.T., see Shannon, A.G.	92	(1991)	329–340
Bandelt, H.J. and H.M. Mulder, Metric characterization of parity graphs	91	(1991)	221–230

Bandelt, H.J. and H.M. Mulder, Pseudo-median graphs: decomposition via amalgamation and Cartesian multiplication	94	(1991)	161–180
Bang-Jensen, J., On the structure of locally semicomplete digraphs	100	(1992)	243–265
Bao, X., On a Mouyart's conjecture (*Note*)	98	(1991)	141–145
Baranga, A., The contraction principle as a particular case of Kleene's fixed point theorem (*Note*)	98	(1991)	75– 79
Batten, L.M., An extension of Wagner's theorem	92	(1991)	21– 23
Bauer, D., G. Fan and H.J. Veldman, Hamiltonian properties of graphs with large neighborhood unions	96	(1991)	33– 49
Beck, I. and S. Krogdahl, On log concave sequences (*Note*)	94	(1991)	141–145
Bennett, F.E. and H. Shen, On indecomposable pure Mendelsohn triple systems	97	(1991)	47– 57
Bergeron, N. and A.M. Garsia, Zonal polynomials and domino tableaux	99	(1992)	3– 15
Beutelspacher, A., A combinatorial characterization of geometric spreads	97	(1991)	59– 62
Bialostocki, A., P. Dierker and B. Voxman, Some notes on the Erdős–Szekeres theorem	91	(1991)	231–238
Bialostocki, A. and P. Dierker, An isoperimetric lemma (*Note*)	94	(1991)	221–228
Billington, E.J. and D.G. Hoffman, The number of repeated blocks in balanced ternary designs with block size three II	92	(1991)	25– 37
Biró, M., M. Hujter and Zs. Tuza, Precoloring extension. I. Interval graphs	100	(1992)	267–279
Blokhuis, A., A. Brouwer and H. Wilbrink, Hermitian unitals are code words	97	(1991)	63– 68
Bloom, G.S.and Hsu, D.F., Foreword	93	(1991)	111–113
Borodin, O.V., Cyclic coloring of plane graphs	100	(1992)	281–289
Bressoud, D.M., Unimodality of Gaussian polynomials	99	(1992)	17– 24
Brochet, J.-M. and M. Pouzet, Gallai–Milgram properties for infinite graphs	95	(1991)	23– 47
Brooks, R.L., C.A.B. Smith, A.H. Stone and W.T. Tutte, Determinants and current flows in electric networks	100	(1992)	291–301
Brouwer, A., see Blokhuis, A.	97	(1991)	63– 68

Brown, J.I. and D.G. Corneil, Graph properties and hypergraph colourings 98 (1991) 81– 93
Brualdi, R.A. and B.L. Shader, Matrices of 0's and 1's with restricted permanental minors 96 (1991) 161–174

Caccetta, L. and K. Vijayan, Long cycles in subgraphs with prescribed minimum degree 97 (1991) 69– 81
Caccetta, L. and K. Vijayan, Maximal cycles in graphs 98 (1991) 1– 7
Cai, M.-c., On some factor theorems of graphs (*Note*) 98 (1991) 223–229
Cameron, P.J., The age of a relational structure 95 (1991) 49– 67
Cameron, P.J., Covers of graphs and EGQs 97 (1991) 83– 92
Canfield, E.R. and D.M. Jackson, A D-finiteness result for products of permutations 99 (1992) 25– 30
Casse, L.R.A., see Oxenham, M.G. 92 (1991) 251–259
Chamberlin, S.R. and D.A. Sprott, On a discrete distribution associated with the statistical assessment of nominal scale agreement 92 (1991) 39– 47
Chartrand, G., H. Hevia and R.J. Wilson, The ubiquitous Petersen graph 100 (1992) 303–311
Chee, Y.M. and G.F. Royle, The 2-rotational Steiner triple systems of order 25 97 (1991) 93–100
Chee, Y.M., Graphical t-designs with block sizes three and four (*Note*) 91 (1991) 201–206
Chen, W. and T. Kløve, Lower bounds on multiple difference sets 98 (1991) 9– 21
Chen, W.Y.C., Maximum (g, f)-factors of a general graph 91 (1991) 1– 7
Chetwynd, A.G. and A.J.W. Hilton, Outline symmetric latin squares 97 (1991) 101–117
Choudum, S.A., On forcibly connected graphic sequences 96 (1991) 175–181
Christiansen, M., J. Lützen, G. Sabidussi and B. Toft, Julius Petersen annotated bibliography 100 (1992) 83– 97
Cignoli, R., Quantifiers on distributive lattices 96 (1991) 183–197
Clark, W.E., Blocking sets in finite projective spaces and uneven binary codes (*Note*) 94 (1991) 65– 68
Clivio, A., Tilings of a torus with rectangular boxes 91 (1991) 121–139
Colbourn, C.J., R.A. Mathon, A. Rosa and N. Shalaby, The fine structure of threefold triple systems: $v \equiv 1$ or 3 (mod 6) 92 (1991) 49– 64

Colbourn, C.J. and A. Hartman, Intersections and supports of quadruple systems 97 (1991) 119–137
Colbourn, C.J., D.G. Hoffman and C.A. Rodger, Directed star decompositions of directed multigraphs 97 (1991) 139–148
Cooper, C., Pancyclic Hamilton cycles in random graphs 91 (1991) 141–148
Corneil, D.G., see Brown, J.I. 98 (1991) 81– 93

De Caen, D., D.L. Kreher, S.P. Radziszowski and W.H. Mills, On the covering of t-sets with $(t+1)$-sets: $C(9,5,4)$ and $C(10,6,5)$ 92 (1991) 65– 77
Décoste, H., G. Labelle and P. Leroux, The functorial composition of species, a forgotten operation 99 (1992) 31– 48
de Resmini, M.J., Some naive constructions of $S(2,3,v)$ and $S(2,4,v)$ 97 (1991) 149–153
Désarménien, J. and D. Foata, The signed Eulerian numbers 99 (1992) 49– 58
de Vroedt, C., On the maximum cardinality of binary constant weight codes with prescribed distance 97 (1991) 155–160
de Vroedt, C., Űber einen Satz von Kőhler 97 (1991) 161–165
Deza, M., see Hamada, N. 93 (1991) 19– 33
Dierker, P., see Bialostocki, A. 91 (1991) 231–238
Dierker, P., see Bialostocki, A. 94 (1991) 221–228
Diestel, R., Decomposing infinite graphs 95 (1991) 69– 89
Diestel, R., The end structure of a graph: recent results and open problems 100 (1992) 313–327
Dinitz, J.H., see Archdeacon, D. 92 (1991) 9– 19
Donovan, D. and S. Oates-Williams, Single laws for sloops and squags 92 (1991) 79– 83
Du, B., see Zhu, L. 97 (1991) 409–417

Ebert, G., J. Hemmeter, F. Lazebnik and A. Woldar, On the number of irregular assignments on a graph 93 (1991) 131–142
Edelman, P.H., R. Simion and D. White, Partition statistics on permutations 99 (1992) 63– 68
El-Zahar, M. and N.W. Sauer, Ramsey-type properties of relational structures 94 (1991) 1– 10
Engel, P., The enumeration of four-dimensional polytopes 91 (1991) 9– 31

Eppstein, D., J. Feigenbaum and C.-L. Li, Equipartitions of graphs 91 (1991) 239–248
Erdős, P. and J.A. Larson, Matchings from a set below to a set above 95 (1991) 169–182
Erdős, P., S. Fajtlowicz and W. Staton, Degree sequences in triangle-free graphs 92 (1991) 85– 88
Erdős, P., Z. Füredi and Z. Tuza, Saturated r-uniform hypergraphs 98 (1991) 95–104
Eswarathasan, A. and E. Levine, p-Integral harmonic sums 91 (1991) 249–257
Etzion, T., Combinatorial designs with Costas arrays properties 93 (1991) 143–154
Etzion, T., Hamiltonian decomposition of K_n^*, patterns with distinct differences, and Tuscan squares 91 (1991) 259–276

Fajtlowicz, S., see Erdős, P. 92 (1991) 85– 88
Fan, G., see Bauer, D. 96 (1991) 33– 49
Faudree, R.J., R.J. Gould and L.M. Lesniak, Neighborhood conditions and edge-disjoint perfect matchings 91 (1991) 33– 43
Faudree, R.J., M.S. Jacobson, L. Kinch and J. Lehel, Irregularity strength of dense graphs 91 (1991) 45– 59
Favaron, O., M.C. Heydemann, J.C. Meyer and D. Sotteau, A parameter linked with G-factors and the binding number (*Note*) 91 (1991) 311–316
Feigenbaum, J., see Eppstein, D. 91 (1991) 239–248
Fishburn, P.C., J.C. Lagarias, J.A. Reeds and L.A. Shepp, Sets uniquely determined by projections on axes II Discrete case 91 (1991) 149–159
Fishburn, P.C. and L.A. Shepp, On the FKB conjecture for disjoint intersections 98 (1991) 105–122
Foata, D., see Désarménien, J. 99 (1992) 49– 58
Fuji-Hara, R. and S. Kuriki, Mutually balanced nested designs 97 (1991) 167–176
Füredi, Z., see Erdős, P. 98 (1991) 95–104
Furino, S., Difference families from rings 97 (1991) 177–190

Galeana-Sánchez, H. and V. Neumann-Lara, Extending kernel perfect digraphs to kernel perfect critical digraphs 94 (1991) 181–187
Gani, J., A note on a stochastic model for the incubation of transfusion-associated AIDS 92 (1991) 89– 94

Garsia, A.M., Orthogonality of Milne's polynomials and raising operators	99	(1992)	247–264
Garsia, A.M., see Bergeron, N.	99	(1992)	3– 15
Ghorpade, S.R., see Abhyankar, S.S.	96	(1991)	1– 32
Gibbs, R.A. and P.J. Slater, Distinct distance sets in a graph	93	(1991)	155–165
Gionfriddo, M., F. Milazzo and V. Vacirca, Transitive multipermutation graphs: case $4 \leqslant n \leqslant m$	97	(1991)	191–198
Goddard, W., Acyclic colorings of planar graphs (*Note*)	91	(1991)	91– 94
Goulden, I.P., A linear operator for symmetric functions and tableaux in a strip with given trace	99	(1992)	69– 77
Gould, R.J., see Faudree, R.J.	91	(1991)	33– 43
Grannell, M.J., T.S. Griggs and J.S. Phelan, On infinite Steiner systems	97	(1991)	199–202
Granville, A., On a paper of Agur, Fraenkel and Klein (*Note*)	94	(1991)	147–151
Griggs, T.S., see Grannell, M.J.	97	(1991)	199–202
Gupta, S., see Mukerjee, R.	91	(1991)	105–108
Haiman, M.D. and D. Kim, A characterization of generalized staircases	99	(1992)	115–122
Haiman, M.D., Dual equivalence with applications, including a conjecture of Proctor	99	(1992)	79–113
Halin, R., Bounded graphs	95	(1991)	91– 99
Halin, R., Tree-partitions of infinite graphs	97	(1991)	203–217
Hamada, N. and M. Deza, A characterization of $\{2v_{\alpha+1} + 2v_{\beta+1}, 2v_\alpha + 2v_\beta; t, q\}$-minihypers in PG$(t, q)$ $(t \geqslant 2, q \geqslant 5$ and $0 \leqslant \alpha < \beta < t)$ and its applications to error-correcting codes	93	(1991)	19– 33
Hamm, R.C., see Sarvate, D.G.	92	(1991)	321–328
Hanlon, P., A Markov chain on the symmetric group and Jack symmetric functions	99	(1992)	123–140
Hansen, P. and J. Kuplinsky, The smallest hard-to-color graph	96	(1991)	199–212
Harborth, H., Plane four-regular graphs with vertex-to-vertex unit triangles	97	(1991)	219–222
Hare, D., see Alspach, B.	97	(1991)	17– 24
Harper, L.H., On a problem of Kleitman and West	93	(1991)	169–182
Hartman, A., see Colbourn, C.J.	97	(1991)	119–137

Hartnell, B.L. and W. Kocay, On minimal neighbourhood-connected graphs	92	(1991)	95–105
Hartvigsen, D. and R. Mardon, Cycle bases from orderings and coverings	94	(1991)	81– 94
Haviland, J., On minimum maximal independent sets of a graph	94	(1991)	95–101
Hegde, S.M., see Acharya, B.D.	93	(1991)	123–129
Heinrich, K., M. Kobayashi and G. Nakamura, Dudeney's round table problem	92	(1991)	107–125
Heinrich, K., Simple direct constructions for hybrid triple designs	97	(1991)	223–227
Hemmeter, J., see Ebert, G.	93	(1991)	131–142
Hendy, M.D., A combinatorial description of the closest tree algorithm for finding evolutionary trees	96	(1991)	51– 58
Hevia, H., see Chartrand, G.	100	(1992)	303–311
Heydemann, M.C., see Favaron, O.	91	(1991)	311–316
Hilton, A.J.W., see Chetwynd, A.G.	97	(1991)	101–117
Hirschfeld, J.W.P. and T. Szőnyi, Sets in a finite plane with few intersection numbers and a distinguished point	97	(1991)	229–242
Hoàng, C.T., F. Maffray and M. Preissmann, New properties of perfectly orderable graphs and strongly perfect graphs	98	(1991)	161–174
Hobart, S.A., On designs related to coherent configurations of type $\binom{2}{4}\ \binom{2}{4}$	94	(1991)	103–127
Hoffman, D.G., see Billington, E.J.	92	(1991)	25– 37
Hoffman, D.G., see Colbourn, C.J.	97	(1991)	139–148
Hoffman, D.G. and P.J. Schellenberg, The existence of C_k-factorizations of $K_{2n} - F$	97	(1991)	243–250
Hofmeister, M., Isomorphisms and automorphisms of graph coverings	98	(1991)	175–183
Holton, D.A., D. Lou and M.D. Plummer, On the 2-extendability of planar graphs	96	(1991)	81– 99
Honkala, I., All binary codes with covering radius one are subnormal (*Note*)	94	(1991)	229–232
Horák, P., Extending partial systems of distinct representatives (*Note*)	91	(1991)	95– 98
Horton, J.D., A hyperfactorization of order 8, index 2	92	(1991)	127–129
Horton, J.D. and G.M. Nonay, Self-orthogonal Hamilton path decompositions	97	(1991)	251–264
Hovey, M., *A*-cordial graphs	93	(1991)	183–194

Hsu, D.F., see Bloom, G.S. 93 (1991) 111–113
Hujter, M., see Biró, M. 100 (1992) 267–279
Hwang, S.G., Doubly stochastic circulant matrices (*Note*) 94 (1991) 69– 74
Hwang, S.G., The monotonicity of the permanent function (*Note*) 91 (1991) 99–104

Imrich, W. and N. Seifter, A survey on graphs with polynomial growth 95 (1991) 101–117

Jackson, D.M., see Canfield, E.R. 99 (1992) 25– 30
Jackson, W.-A., F. Piper and P. Wild, Non-embedding of non prime-power unitals with point-regular group 98 (1991) 23– 28
Jacobson, M.S., see Faudree, R.J. 91 (1991) 45– 59
Janko, Z. and V.D. Tonchev, Cyclic 2-(91, 6, 1) designs with multiplier automorphisms 97 (1991) 265–268
Joshi, S.B., see Abhyankar, S.S. 93 (1991) 1– 17
Juhász, F., The asymptotic behaviour of Fiedler's algebraic connectivity for random graphs 96 (1991) 59– 63
Jung, H.A., Some results on ends and automorphisms of graphs 95 (1991) 119–133
Jungnickel, D. and S. Vanstone, Triple systems in PG $(2, q)$ 92 (1991) 131–135
Jungnickel, D., see Arasu, K.T. 97 (1991) 25– 38
Jungnickel, D., R.C. Mullin and S.A. Vanstone, The spectrum of α-resolvable block designs with block size 3 97 (1991) 269–277

Kageyama, S. and K. Sinha, Constructions of partially balanced bipartite block designs 92 (1991) 137–144
Katchalski, M., see Abbott, H.L. 91 (1991) 111–120
Kim, A.C. and B.H. Neumann, Laws in a class of groupoids 92 (1991) 145–158
Kim, D., see Haiman, M.D. 99 (1992) 115–122
Kinch, L. and J. Lehel, The irregularity strength of tP_3 (*Note*) 94 (1991) 75– 79
Kinch, L., see Faudree, R.J. 91 (1991) 45– 59
Kløve, T., see Chen, W. 98 (1991) 9– 21
Kobayashi, M., see Heinrich, K. 92 (1991) 107–125
Kocay, W. and G.H.J. van Rees, Some non-isomorphic $(4t + 4, 8t + 6, 4t + 3, 2t + 2, 2t + 1)$-BIBD's 92 (1991) 159–172

Kocay, W., see Hartnell, B.L. 92 (1991) 95–105
Koester, G., On 4-critical planar graphs with high edge density (*Note*) 98 (1991) 147–151
Koh, K.M. and C.P. Teo, The chromatic uniqueness of certain broken wheels (*Note*) 96 (1991) 65– 69
Kolesova, G., see Lam, C.W.H. 92 (1991) 187–195
Komjáth, P. and J. Pach, Universal elements and the complexity of certain classes of infinite graphs 95 (1991) 255–270
Kordecki, W., Random subgraphs of the n-cycle and the n-wheel 93 (1991) 35– 53
Koukouvinos, C. and J. Seberry, Hadamard matrices of order $\equiv 8 \pmod{16}$ with maximal excess 92 (1991) 173–176
Koukouvinos, C., see Kounias, S. 92 (1991) 177–185
Kounias, S., C. Koukouvinos and K. Sotirakoglou, On Golay sequences 92 (1991) 177–185
Kramer, E.S., Q.-R. Wu, S.S. Magliveras and T. van Trung, Some perpendicular arrays for arbitrarily large t 96 (1991) 101–110
Krasikov, I., On a tree-cutting problem of P. Ash 93 (1991) 55– 61
Kreher, D.L., see De Caen, D. 92 (1991) 65– 77
Kříž, I. and R. Thomas, Analyzing Nash-Williams' partition theorem by means of ordinal types 95 (1991) 135–167
Krogdahl, S., see Beck, I. 94 (1991) 141–145
Kuplinsky, J., see Hansen, P. 96 (1991) 199–212
Kuriki, S., see Fuji-Hara, R. 97 (1991) 167–176

Labelle, G., On asymmetric structures 99 (1992) 141–164
Labelle, G., see Décoste, H. 99 (1992) 31– 48
Lagarias, J.C., see Fishburn, P.C. 91 (1991) 149–159
Lai, H.-J., Graph whose edges are in small cycles 94 (1991) 11– 22
Lam, C.W.H., G. Kolesova and L. Thiel, A computer search for finite projective planes of order 9 92 (1991) 187–195
Lamken, E.R., On near generalized balanced tournament designs 97 (1991) 279–294
Lamken, E., R. Rees and S. Vanstone, Class-uniformly resolvable pairwise balanced designs with block sizes two and three 92 (1991) 197–209
Larson, J.A., see Erdős, P. 95 (1991) 169–182
Lascoux, A. et M.-P. Schützenberger,

Décompositions dans l'algèbre des différences divisées 99 (1992) 165–179
Lazebnik, F., see Ebert, G. 93 (1991) 131–142
Lee, S.M. and S.C. Shee, On Skolem graceful graphs 93 (1991) 195–200
Lee, S.M., E. Schmeichel and S.C. Shee, On felicitous graphs 93 (1991) 201–209
Lehel, J., see Faudree, R.J. 91 (1991) 45– 59
Lehel, J., see Kinch, L. 94 (1991) 75– 79
Lenz, H. and G. Ringel, A brief review on Egmont Köhler's mathematical work 97 (1991) 3– 16
Leroux, P., see Décoste, H. 99 (1992) 31– 48
Lesniak, L.M., see Faudree, R.J. 91 (1991) 33– 43
Levine, E., see Eswarathasan, A. 91 (1991) 249–257
Liang, K. and M.L. Wachs, Mahonian statistics on labeled forests 99 (1992) 181–197
Li, Chung-Lun, see Eppstein, D. 91 (1991) 239–248
Lidl, R. and W.B. Müller, Generalizations of the Fibonacci pseudoprimes test 92 (1991) 211–220
Liu, J., see Alavi, Y. 100 (1992) 229–233
Li, X. and F. Zhang, On the numbers of spanning trees and Eulerian tours in generalized de Bruijn graphs 94 (1991) 189–197
Lorenzini, D.J., A finite group attached to the laplacian of a graph 91 (1991) 277–282
Lou, D., see Holton, D.A. 96 (1991) 81– 99
Łuczak, T., Cycles in random graphs (*Note*) 98 (1991) 231–236
Łuczak, T., Size and connectivity of the k-core of a random graph 91 (1991) 61– 68
Lützen, J., G. Sabidussi and B. Toft, Julius Petersen 1839–1910. A biography 100 (1992) 9– 82
Lützen, J., see Christiansen, M. 100 (1992) 83– 97
Lu, X., A matching game 94 (1991) 199–207

Maffray, F., see Hoàng, C.T. 98 (1991) 161–174
Magliveras, S.S., see Kramer, E.S. 96 (1991) 101–110
Manvel, B., A. Meyerowitz, A. Schwenk, K. Smith and P. Stockmeyer, Reconstruction of sequences 94 (1991) 209–219
Marczyk, A. and Z. Skupień, Maximum non-hamiltonian tough graphs 96 (1991) 213–220
Mardon, R., see Hartvigsen, D. 94 (1991) 81– 94

Marino, M.C. and R.S. Rees, On parallelism in Steiner systems 97 (1991) 295–300
Mathon, R.A., see Colbourn, C.J. 92 (1991) 49– 64
McMullen, P., Regular polyhedra related to projective linear groups 91 (1991) 161–170
Mendelsohn, E. and N. Shalaby, Skolem labelled graphs 97 (1991) 301–317
Meyer, J.C., see Favaron, O. 91 (1991) 311–316
Meyerowitz, A., see Manvel, B. 94 (1991) 209–219
Milazzo, F., see Gionfriddo, M. 97 (1991) 191–198
Miller, Z. and D. Pritikin, The harmonious coloring number of a graph 93 (1991) 211–228
Mills, W.H., see De Caen, D. 92 (1991) 65– 77
Milner, E.C. and K. Prikry, A partition relation for triples using a model of Todorčević 95 (1991) 183–191
Milne, S.C., Classical partition functions and the $U(n+1)$ Rogers–Selberg identity 99 (1992) 199–246
Mohar, B., Some relations between analytic and geometric properties of infinite graphs 95 (1991) 193–219
Mollard, M., Two characterizations of generalized hypercube 93 (1991) 63– 74
Mukerjee, R. and S. Gupta, Geometric construction of balanced block designs with nested rows and columns (*Note*) 91 (1991) 105–108
Mulder, H.M., Julius Petersen's theory of regular graphs 100 (1992) 157–175
Mulder, H.M., see Bandelt, H.J. 91 (1991) 221–230
Mulder, H.M., see Bandelt, H.J. 94 (1991) 161–180
Müller, W.B., see Lidl, R. 92 (1991) 211–220
Mullin, R.C. and D. Wevrick, Singular points in pair covers and their relation to Hadamard designs 92 (1991) 221–225
Mullin, R.C., see Jungnickel, D. 97 (1991) 269–277
Mynhardt, C.M., Lower Ramsey numbers for graphs 91 (1991) 69– 75

Nakamura, G., see Heinrich, K. 92 (1991) 107–125
Narendran, P., C. Ó'Dúnlaing and F. Otto, It is undecidable whether a finite special string-rewriting system presents a group (*Note*) 98 (1991) 153–159
Nash-Williams, C.St.J.A., Reconstruction of locally finite connected graphs with two infinite wings 92 (1991) 227–249

Nash-Williams, C.St.J.A., Reconstruction of infinite graphs 95 (1991) 221–229
Neumann, B.H., see Kim, A.C. 92 (1991) 145–158
Neumann-Lara, V., see Galeana-Sánchez, H. 94 (1991) 181–187
Niederhausen, H., Initial value problems in the logarithmic algebra 94 (1991) 23– 37
Niedermeyer, F., f-Optimal factors of infinite graphs 95 (1991) 231–254
Niederreiter, H., A combinatorial problem for vector spaces over finite fields 96 (1991) 221–228
Nilli, A., On the second eigenvalue of a graph (*Note*) 91 (1991) 207–210
Nonay, G.M., see Horton, J.D. 97 (1991) 251–264

Oates-Williams, S., see Donovan, D. 92 (1991) 79– 83
Ó'Dúnlaing, C., see Narendran, P. 98 (1991) 153–159
Otto, F., see Narendran, P. 98 (1991) 153–159
Oxenham, M.G. and L.R.A. Casse, On a geometric representation of the subgroups of index 6 in S_6 92 (1991) 251–259
Oxley, J.G., Ternary paving matroids 91 (1991) 77– 86

Pach, J., see Komjáth, P. 95 (1991) 255–270
Pawale, R.M. and S.S. Sane, A short proof of a conjecture on quasi-symmetric 3-designs (*Note*) 96 (1991) 71– 74
Peile, R.E., Inclusion transformations: (n, m)-graphs and their classification 96 (1991) 111–129
Peng, Y.H., On the chromatic uniqueness of certain bipartite graphs 94 (1991) 129–140
Petrovic, V. and C. Thomassen, Kings in k-partite tournaments (*Note*) 98 (1991) 237–238
Pfaff, O., On the simplicity of $\cdot 2$ and $\cdot 3$ 97 (1991) 319–331
Phelan, J.S., see Grannell, M.J. 97 (1991) 199–202
Phelps, K.T., A class of 2-chromatic SQS(22) 97 (1991) 333–338
Piotrowski, W.L., The solution of the bipartite analogue of the Oberwolfach problem 97 (1991) 339–356
Piper, F., see Jackson, W.-A. 98 (1991) 23– 28
Pless, V., Codes and designs—existence and uniqueness 92 (1991) 261–274
Plummer, M.D. see Holton, D.A. 96 (1991) 81– 99
Plummer, M.D., Matching theory—a sampler: from Dénes König to the present 100 (1992) 177–219

Polat, N. and G. Sabidussi, Asymmetrising sets in trees 95 (1991) 271–289
Polat, N., Asymmetrization of infinite trees 95 (1991) 291–301
Pott, A., see Arasu, K.T. 97 (1991) 25– 38
Pott, A., see Arasu, K.T. 97 (1991) 39– 45
Pouzet, M., see Brochet, J.-M. 95 (1991) 23– 47
Praeger, C.E., Balanced directed cycle designs based on groups 92 (1991) 275–290
Preissmann, M., see Hoàng, C.T. 98 (1991) 161–174
Prikry, K., see Milner, E.C. 95 (1991) 183–191
Pritikin, D., see Miller, Z. 93 (1991) 211–228
Prömel, H.J., W. Thumser and B. Voigt, Fast growing functions based on Ramsey theorems 95 (1991) 341–358

Quebbemann, H.-G., On even codes 98 (1991) 29– 34
Quilliot, A., Une condition pour qu'une famille de triangles soit orientable en un ordre cyclique 91 (1991) 171–182

Radziszowski, S.P., see De Caen, D. 92 (1991) 65– 77
Rahilly, A., On the line structure of designs 92 (1991) 291–303
Redish, K.A. and W.F. Smyth, Closed form expressions for the iterated floor function (*Note*) 91 (1991) 317–321
Reeds, J.A., see Fishburn, P.C. 91 (1991) 149–159
Rees, R. and W.D. Wallis, The spectrum of maximal sets of one-factors 97 (1991) 357–369
Rees, R., see Lamken, E. 92 (1991) 197–209
Rees, R.S., see Marino, M.C. 97 (1991) 295–300
Rees, R., The spectrum of restricted resolvable designs with $r = 2$ 92 (1991) 305–320
Reid, T.J., A note on roundedness in 4-connected matroids (*Note*) 91 (1991) 211–214
Remmel, J.B., Formulas for the expansion of the Kronecker products $S_{(m,n)} \otimes S_{(1^{p-r},r)}$ and $S_{(1^k 2^l)} \otimes S_{(1^{p-r},r)}$ 99 (1992) 265–287
Reverdy-Vilotitch, F., La reconstruction au sens de Ulam de certaines multirelations binaires (*Note*) 93 (1991) 89– 95
Ringel, G., see Lenz, H. 97 (1991) 3– 16
Roberts, F.S., T-colorings of graphs: recent results and open problems 93 (1991) 229–245
Robertson, N., P. Seymour and R. Thomas, Excluding infinite minors 95 (1991) 303–319

Rodger, C.A., see Colbourn, C.J.	97	(1991)	139–148
Rosa, A., see Colbourn, C.J.	92	(1991)	49– 64
Roudneff, J.-P., Cells with many facets in arrangements of hyperplanes	98	(1991)	185–191
Royle, G.F., see Chee, Y.M.	97	(1991)	93–100
Sabidussi, G., see Polat, N.	95	(1991)	271–289
Sabidussi, G., Correspondence between Sylvester, Petersen, Hilbert and Klein on invariants and the factorisation of graphs 1889–1891	100	(1992)	99–155
Sabidussi, G., see Christiansen, M.	100	(1992)	83– 97
Sabidussi, G., see Lützen, J.	100	(1992)	9– 82
Sagan, B.E., Inductive proofs of q-log concavity	99	(1992)	289–306
Saito, A., One-factors and k-factors (*Note*)	91	(1991)	323–326
Sane, S.S., see Pawale, R.M.	96	(1991)	71– 74
Sarvate, D.G. and R.C. Hamm, Row-column directed block designs	92	(1991)	321–328
Sauer, N.W., see El-Zahar, M.	94	(1991)	1– 10
Schellenberg, P.J., see Hoffman, D.G.	97	(1991)	243–250
Schindler, C., Constructible hypergraphs	91	(1991)	183–191
Schmeichel, E., see Lee, S.M.	93	(1991)	201–209
Schmidt, W., Greedoids and searches in directed graphs	93	(1991)	75– 88
Schulz, R.-H., A note on check character systems using Latin squares	97	(1991)	371–375
Schützenberger, M.-P., see Lascoux, A.	99	(1992)	165–179
Schwärzler, W., Being Hamiltonian is not a Tutte invariant (*Communication*)	91	(1991)	87– 89
Schwenk, A., see Manvel, B.	94	(1991)	209–219
Seberry, J., see Koukouvinos, C.	92	(1991)	173–176
Seifter, N., see Imrich, W.	95	(1991)	101–117
Seymour, P. and R. Thomas, An end-faithful spanning tree counterexample	95	(1991)	321–330
Seymour, P., see Robertson, N.	95	(1991)	303–319
Shader, B.L., see Brualdi, R.A.	96	(1991)	161–174
Shalaby, N., see Colbourn, C.J.	92	(1991)	49– 64
Shalaby, N., see Mendelsohn E.	97	(1991)	301–317
Shannon, A.G., J.C. Turner and K.T. Atanassov, A generalized tableau associated with colored convolution trees	92	(1991)	329–340
Sharry, M.J. and A.P. Street, Partitioning sets of quadruples into designs III	92	(1991)	341–359
Shee, S.C., see Lee, S.M.	93	(1991)	195–200

Shee, S.C., see Lee, S.M.	93	(1991)	201–209
Shen, H., see Bennett, F.E.	97	(1991)	47– 57
Shepp, L.A., see Fishburn, P.C.	91	(1991)	149–159
Shepp, L.A., see Fishburn, P.C.	98	(1991)	105–122
Sidorenko, A.F., Triangle-free regular graphs (*Note*)	91	(1991)	215–217
Siemon, H., On the existence of cyclic Steiner Quadruple Systems SQS(2*p*)	97	(1991)	377–385
Simion, R. and D. Ullman, On the structure of the lattice of noncrossing partitions	98	(1991)	193–206
Simion, R., see Edelman, P.H.	99	(1992)	63– 68
Simmons, H., Generalized deviations of posets	98	(1991)	123–139
Simpson, R.J., Disjoint covering systems of rational Beatty sequences	92	(1991)	361–369
Sinha, K., see Kageyama, S.	92	(1991)	137–144
Širáň, J., Characterization of signed graphs which are cellularly embeddable in no more than one surface	94	(1991)	39– 44
Širáň, J., Duke's theorem does not extend to signed graph embeddings (*Note*)	94	(1991)	233–238
Širáň, J., End-faithful forests and spanning trees in infinite graphs	95	(1991)	331–340
Skupień, Z., see Marczyk, A.	96	(1991)	213–220
Slater, P.J., see Gibbs, R.A.	93	(1991)	155–165
Smith, C.A.B., see Brooks, R.L.	100	(1992)	291–301
Smith, K., see Manvel, B.	94	(1991)	209–219
Smyth, W.F., see Redish, K.A.	91	(1991)	317–321
Snover, S.L., C. Waiveris and J.K. Williams, Rep-tiling for triangles	91	(1991)	193–200
Sotirakoglou, K., see Kounias, S.	92	(1991)	177–185
Sotteau, D., see Favaron, O.	91	(1991)	311–316
Sprott, D.A., see Chamberlin, S.R.	92	(1991)	39– 47
Srivastava, J. and S. Arora, An infinite series of resolution III.2 designs for the 2^m factorial experiment	98	(1991)	35– 56
Staton, W., see Erdős, P.	92	(1991)	85– 88
Stembridge, J.R., Eulerian numbers, tableaux, and the Betti numbers of a toric variety	99	(1992)	307–320
Stern, M., Dually atomistic lattices (*Note*)	93	(1991)	97–100
Stinson, D.R., A survey of Kirkman triple systems and related designs	92	(1991)	371–393
Stinson, D.R., Designs constructed from maximal arcs	97	(1991)	387–393

Stockmeyer, P., see Manvel, B. 94 (1991) 209–219
Stone, A.H., see Brooks, R.L. 100 (1992) 291–301
Street, A.P., see Sharry, M.J. 92 (1991) 341–359
Strehl, V., Identities of Rothe–Abel–Schläfli–Hurwitz-type 99 (1992) 321–340
Suen, W.C.S., On the largest strong components in m-out digraphs 94 (1991) 45– 52
Sved, M., The geometry of the binomial array modulo p^2 and p^3 92 (1991) 395–416
Szőnyi, T., see Hirschfeld, J.W.P. 97 (1991) 229–242

Taylor, H., A distinct distance set of 9 nodes in a tree of diameter 36 93 (1991) 167–168
Taylor, H., Florentine rows or left-right shifted permutation matrices with cross-correlation values ≤ 1 93 (1991) 247–260
Teo, C.P., see Koh, K.M. 96 (1991) 65– 69
Thiel, L., see Lam, C.W.H. 92 (1991) 187–195
Thomas, R., see Kříž, I. 95 (1991) 135–167
Thomas, R., see Robertson, N. 95 (1991) 303–319
Thomas, R., see Seymour, P. 95 (1991) 321–330
Thomassen, C., see Petrovic, V. 98 (1991) 237–238
Thumser, W., see Prömel, H.J. 95 (1991) 341–358
Toft, B., see Christiansen, M. 100 (1992) 83– 97
Toft, B., see Lützen, J. 100 (1992) 9– 82
Tonchev, V.D., see Janko, Z. 97 (1991) 265–268
Topp, J. and L. Volkmann, On graphs with equal domination and independent domination numbers (*Note*) 96 (1991) 75– 80
Topp, J. and L. Volkmann, On packing and covering numbers of graphs 96 (1991) 229–238
Traldi, L., Generalized activities and K-terminal reliability 96 (1991) 131–149
Truszczyński, M., Decompositions of graphs into forests with bounded maximum degree 98 (1991) 207–222
Turner, J.C., see Shannon, A.G. 92 (1991) 329–340
Tutte, W.T., On the Birkhoff–Lewis equations 92 (1991) 417–425
Tutte, W.T., see Brooks, R.L. 100 (1992) 291–301
Tuza, Z., see Erdős, P. 98 (1991) 95–104
Tuza, Zs., see Biró, M. 100 (1992) 267–279

Ullman, D., see Simion, R. 98 (1991) 193–206

Vacirca, V., see Gionfriddo, M.	97	(1991)	191–198
Van Rees, G.H.J., see Kocay, W.	92	(1991)	159–172
Vanstone, S., see Jungnickel, D.	92	(1991)	131–135
Vanstone, S., see Lamken, E.	92	(1991)	197–209
Vanstone, S.A., see Jungnickel, D.	97	(1991)	269–277
van Trung, T. , see Kramer, E.S.	96	(1991)	101–110
Veldman, H.J., see Bauer, D.	96	(1991)	33– 49
Versmissen, K., Monohedral periodic tilings of the plane with any number of aspects (*Note*)	93	(1991)	101–108
Vijayan, K., see Caccetta, L.	97	(1991)	69– 81
Vijayan, K., see Caccetta, L.	98	(1991)	1– 7
Voigt, B., see Prömel, H.J.	95	(1991)	341–358
Voigt, M. and H. Walther, On the chromatic number of special distance graphs	97	(1991)	395–397
Volkmann, L., see Topp, J.	96	(1991)	75– 80
Volkmann, L., see Topp, J.	96	(1991)	229–238
Voxman, B., see Bialostocki, A.	91	(1991)	231–238
Wachs, M.L., An involution for signed Eulerian numbers	99	(1992)	59– 62
Wachs, M.L., see Liang, K.	99	(1992)	181–197
Wachs, M.L., The major index polynomial for conjugacy classes of permutations	91	(1991)	283–293
Wagneur, E., Moduloïds and pseudomodules 1. Dimension theory	98	(1991)	57– 73
Waiveris, C., see Snover, S.L.	91	(1991)	193–200
Wallis, W.D. and J. Wu, On clique partitions of split graphs	92	(1991)	427–429
Wallis, W.D., see Rees, R.	97	(1991)	357–369
Walther, H., see Voigt, M.	97	(1991)	395–397
Wang, J., see Alavi, Y.	100	(1992)	229–233
Watanabe, M., Arrow relations on families of finite sets	94	(1991)	53– 64
Watkins, M.E., Edge-transitive strips	95	(1991)	359–372
Wevrick, D., see Mullin, R.C.	92	(1991)	221–225
White, D., see Edelman, P.H.	99	(1992)	63– 68
Wilbrink, H., see Blokhuis, A.	97	(1991)	63– 68
Wild, P., see Jackson, W.-A.	98	(1991)	23– 28
Williams, H.C., Some formulas concerning the fundamental unit of a real quadratic field	92	(1991)	431–440
Williams, J.K., see Snover, S.L.	91	(1991)	193–200
Wilson, B.J., Minimax arcs	92	(1991)	441–450
Wilson, R.J., see Chartrand, G.	100	(1992)	303–311

Woess, W., Topological groups and infinite graphs 95 (1991) 373–384
Woldar, A., see Ebert, G. 93 (1991) 131–142
Wu, J., see Wallis, W.D. 92 (1991) 427–429
Wu, Q.-R., see Kramer, E.S. 96 (1991) 101–110

Xu, S., The chromatic uniqueness of complete bipartite graphs (*Note*) 94 (1991) 153–159

Yu, X., On neighbourhood line graphs 91 (1991) 295–309

Zeitler, H., About special classes of Steiner systems $S(2, 4, v)$ 97 (1991) 399–407
Zhang, C.-Q. and Y.-J. Zhu, Long path connectivity of regular graphs 96 (1991) 151–160
Zhang, F., see Li, X. 94 (1991) 189–197
Zhang, X., see Zhu, L. 97 (1991) 409–417
Zhang, Z., see Alavi, Y. 100 (1992) 229–233
Zhou, B., see Abbott, H.L. 100 (1992) 223–228
Zhu, L., B. Du and X. Zhang, A few more RBIBDs with $k = 5$ and $\lambda = 1$ 97 (1991) 409–417
Zhu, Y.-J., see Zhang, C.-Q. 96 (1991) 151–160

Scope of the Journal

The aim of this journal is to bring together research papers in different areas of discrete mathematics. Contributions presented to the journal can be research papers, short notes, surveys, and possibly research problems. The 'Communications' section will be devoted to the fastest possible publication of the brief outlines of recent research results, the detailed presentation of which might be submitted for possible publication in DISC or elsewhere. The journal will also publish a limited number of book announcements, as well as proceedings of conferences. The journal will publish papers in combinatorial mathematics and related areas. In particular, graph and hypergraph theory, network theory, coding theory, block designs, lattice theory, the theory of partially ordered sets, combinatorial geometries, matroid theory, extremal set theory, logic and automata, matrices, polyhedra, discrete probability theory, etc. shall be among the fields covered by the journal.

Instructions to contributors

All contributions should be written in English or French, should have an abstract in English (as well as one in French if the paper is written in French), and—with the exception of Communications—should be sent in triplicate to Nelly Segal, Publications Assistant, RUTCOR, Rutgers University Center for Operations Research, P.O. Box 5062, New Brunswick, NJ 08903-5062, USA. The authors are requested to put their mailing address on the manuscript.

Upon acceptance of an article, the author(s) will be asked to transfer copyright of the article to the Publisher. This transfer will ensure the widest possible dissemination of information.

Manuscripts submitted for the Communications section, having at most 5 typewritten pages, should be sent to a member of the editorial board in triplicate. Detailed proofs do not have to be included, but results must be accompanied at least by rough outlines of their proofs. Subsequent publication in this journal or elsewhere of the full text of a research report, the outline of which has been published in the Communications section of our journal, is not excluded. Every effort shall be made for the fastest possible publication of Communications. Therefore all proofreading will be done by the Publisher's staff and no proofs will be sent to authors. Consequently the presentation of these manuscripts should be very clear. No page charge is made.

Please make sure that the paper is submitted in its final form. Corrections in the proofstage, other than of printer's errors, should be avoided; costs arising from such extra corrections will be charged to the authors.

The manuscript should be prepared for publication in accordance with instructions given in the 'Instructions to Authors' (available from the Publisher) details of which are condensed below:

1. The manuscript must be typed on one side of the paper in double spacing with wide margins. A duplicate copy should be retained by the author.
2. All mathematical symbols which are not typewritten should be listed separately.
3. Footnotes, which should be kept to a minimum and should be brief, must be numbered consecutively and typed on a separate sheet in the same format as the main text.
4. Special care should be given to the preparation of the drawings for figures and diagrams. Except for a reduction in size, they will appear in the final printing in exactly the same form as they were submitted by the author; normally they will not be redrawn by the printer. In order to make a photographic reproduction possible, all drawings should be on separate sheets, with wide margins, drawn large size, in Indian ink, and carefully lettered. Exceptions are diagrams only containing formulae and a small number of single straight lines (or arrows); these can be typeset by the printer.
5. References should be listed alphabetically, in the same way as the following examples:
   For a book: W.K. Chen, Applied Graph Theory (North-Holland, Amsterdam, 1971).
   For a paper in a journal: J. Rhodes and B.R. Tilson, Lower bounds for complexity of finite semigroups, J. Pure Appl. Algebra 1 (1971) 79–95.
   For a paper in a contributed volume: M.O. Rabin, Weakly definable relations and special automata, in: Y. Bar-Hillel, ed., Mathematical Logic and Foundations of Set Theory (North-Holland, Amsterdam, 1970) 1–23.
   For an unpublished paper: D. Allen, Relations between the local and global structure of finite semigroups, Ph.D. Thesis, University of California, Berkeley, CA, 1968.

Author's benefits

1. 30% discount on all book publications of North-Holland.
2. 50 reprints are provided free of charge to the principal author of each paper published.

US mailing notice—Discrete Mathematics (0012-365x) is published monthly by Elsevier Science Publishers (Molenwerf 1, Postbus 211, 1000 AE Amsterdam). Annual subscription price in the USA US$ 1728.54 (subject to change), including air speed delivery. Application to mail at second class postage rate is pending at Jamaica, NY 11431.

USA POSTMASTERS: Send address changes to Discrete Mathematics, Publication Expediting, Inc., 200 Meacham Avenue, Elmont, NY 11003. Air freight and mailing in the USA by Publication Expediting.

COMPUTATIONAL GEOMETRY

Theory and Applications

Editors-in-Chief: **J.-R. Sack**, *School of Computer Science, Carleton University, Ottawa, Ontario, Canada K1S 5B6,* **J. Urrutia**, *Department of Computer Science, University of Ottawa, Ottawa, Ontario, Canada K1N 9B4*

Honorary Editors: **F.P. Preparata** *and* **P. Erdős**

Computational Geometry is a forum for research in theoretical and applied aspects of computational geometry. The journal publishes fundamental research in all areas of the subject, as well as disseminating information on the applications, techniques, and use of computational geometry.

Computational Geometry publishes articles on the design and analysis of geometric algorithms. All aspects of computational geometry are covered, including the numerical, graph theoretical and combinatorial aspects. Also welcomed are computational geometry solutions to fundamental problems arising in computer graphics, pattern recognition, robotics, image processing, CAD-CAM, VLSI design and geographical information systems.

Computational Geometry features a special section containing open problems and concise reports on implementations of computational geometry tools.



Subscription Information:

1992: Volume 2 (6 issues)
Subscription price:
Dfl. 296.00 / US $ 146.50
(including postage and handling)
ISSN 0925-7721

The Dutch Guilder (Dfl.) price is definitive. US $ price is subject to exchange rate fluctuations

Elsevier Science Publishers
Imprint: ELSEVIER

COUPON FOR A FREE INSPECTION COPY OF **COMPUTATIONAL GEOMETRY**

Send this form, or a photocopy to:
Elsevier Science Publishers
Imprint: North-Holland
Attn: Marijcke Haccou
P.O. Box 103,
1000 AC Amsterdam, The Netherlands

For customers in the USA and Canada:
Elsevier Science Publishers
Attn: Journal Information Center
655 Avenue of the Americas
New York, NY 10010, U.S.A.

Name: _____

Professional Address: _____

_____

_____

407/J/CGFMARU